



MDTA Series




	(μ H)		(A)			(m)
MDTA4030-R47M	0.47	$\pm 20\%$	17.0	10.0	14.0	7.26
MDTA4030-R90M	0.90	$\pm 20\%$	10.0	8.2	11.2	10.1
MDTA4030-1R0M	1.00	$\pm 20\%$	9.80	8.0	11.0	10.1
MDTA4030-1R2M	1.20	$\pm 20\%$	9.20	7.8	9.80	11.5
MDTA4030-1R5M	1.50	$\pm 20\%$	8.00	7.0	9.00	13.2
MDTA4030-2R2M	2.20	$\pm 20\%$	7.00	6.0	7.80	22.6
MDTA4030-3R3M	3.30	$\pm 20\%$	6.20	5.0	6.60	28.6



c
c
c

:





MDTA4030 4.5± 0.1 4.5± 0.1 1.5± 0.1 4.0± 0.1 8.0± 0.1 12.0± 0.3 3.3± 0.1 1.75± 0.1




The peel force of top cover tape shall be between 0.1 to 1.3 N

Marking	Printing Inductance)
---------	----------------------


:



2000 Pcs/Reel



3 Reel /Inner box(6000 Pcs)



3 Inner box/Carton box(18K Pcs)

:

-
-
-
-
-
-
-
-
-
-